

Chapter 14: SIGNAGE

14.1 PURPOSE

14.1.1 Purpose. The purpose of this chapter is to protect the safety, and general welfare, and orderly development of the community through the regulation of signs and sign structures.

14.2 DEFINITIONS

14.2.1 Definitions. The following words and terms shall, for the purposes of this chapter and as used elsewhere in this code, have the meanings shown herein.

ABANDONED SIGN. A sign structure that has ceased to be used, and the owner intends no longer to have used, for the display of sign copy, or as otherwise defined by state law.

ANIMATED SIGN. A sign employing actual motion or the illusion of motion. Animated signs, which are differentiated from changeable signs as defined and regulated by this code, include the following types:

Electronically activated. Animated signs producing the illusion of movement by means of electronic, electrical or electro-mechanical input and/or illumination capable of simulating movement through employment of the characteristics of one or both of the classifications noted below:

1. **Flashing.** Animated signs or animated portions of signs whose illumination is characterized by a repetitive cycle in which the period of illumination is either the same as or less than the period of non-illumination. For the purposes of this ordinance, flashing will not be defined as occurring if the cyclical period between on-off phases of illumination exceeds 4 seconds.
2. **Patterned illusionary movement.** Animated signs or animation portions of signs whose illumination is characterized by simulated movements through alternate or sequential activation of various illuminated elements for the purpose of producing repetitive light patterns designed to appear in some form of constant motion.

Environmentally activated. Animated signs or devices motivated by wind, thermal changes or other natural environmental input. Includes spinners, pinwheels, pennant strings, and/or other devices or displays that respond to naturally occurring external motivation.

Mechanically activated. Animated signs characterized by repetitive motion and/or rotation activated by a mechanical system powered by electric motors or other mechanically induced means.

ARCHITECTURAL PROJECTION. Any projection that is not intended for occupancy and that extends beyond the face of an exterior wall of a building, but that does not include signs as defined herein. See also “Awning”; “Backlit awning” “Canopy, attached and freestanding.”

AWNING. An architectural projection or shelter projecting from and supported by the exterior wall of a building and composed of a covering of rigid or non-rigid materials and/or on a supporting framework that may be either permanent, retractable, including such structures that are internally illuminated by fluorescent or other light sources.

AWNING SIGN. A sign displayed on or attached flat against the surface or surfaces of an awning. See also “Wall of fascia sign.”

BACKLIT AWNING. An awning with a translucent covering material and a source of illumination contained within its framework.

BANNER. A flexible substrate on which copy or graphics may be displayed.

BANNER SIGN. A sign utilizing a banner as its display surface.

BILLBOARD. See “Off-premise sign” and “Outdoor advertising sign.”

BUILDING ELEVATION. The entire side of a building, from ground level to the roofline, as viewed perpendicular to the walls on that side of the building.

CANOPY (Attached). A multisided overhead structure or architectural projection supported by attachments to a building on one or more sides and either cantilevered from such building or also supported by columns at additional points. The surface(s) and/or soffit of an attached canopy may be illuminated by means of internal or external sources of light. See also “Marquee.”

CANOPY (Free-standing). A multisided overhead structure supported by columns, but not enclosed by walls. The surface(s) and or soffit of a free-standing canopy may be illuminated by means of internal or external sources of light.

CANOPY SIGN. A sign affixed to the visible surface(s) of an attached or free-standing canopy.

CHANGEABLE SIGN. A sign with the capability of content change by means of manual or remote input, including signs which are:

Electrically activated. Changeable sign whose message copy or content can be changed by means of remote electrically energized on-off switching combinations of alphabetic or pictographic components arranged on display surface. Illumination may be integral to the components, such as characterized by lamps or other light-emitting devices; or it may be from an external light source designed to reflect off the changeable component display. See also “Electronic message sign or center.”

Manually activated. Changeable sign whose message copy or content can be changed manually.

COMBINATION SIGN. A sign that is supported partly by a pole and partly by a building structure.

COPY. Those letters, numerals, figures, symbols, logos and graphic elements comprising the content or message of a sign, excluding numerals identifying a street address only.

DEVELOPMENT COMPLEX SIGN. A free-standing sign identifying a multiple-occupancy development, such as a shopping center or planned industrial park, which is controlled by a single owner or landlord, approved in accordance with Section 14.9.2 of this chapter.

DIRECTIONAL SIGN. Any sign that is designed and erected for the purpose of providing direction and/or orientation for pedestrian or vehicular traffic.

DOUBLE-FACED SIGN. A sign with two faces, back to back.

ELECTRIC SIGN. Any sign activated or illuminated by means of electrical energy.

ELECTRONIC MESSAGE SIGN OR CENTER. An electrically activated changeable sign whose variable message capability can be electronically programmed.

EXTERIOR SIGN. Any sign placed outside a building.

FASCIA SIGN. See “Wall or fascia sign.”

FLASHING SIGN. See “Animated sign, electrically activated.”

Flag. Any fabric banner containing distinctive colors, patterns or symbols.

FREE-STANDING SIGN. A sign principally supported by a structure affixed to the ground, and not supported by a building, including signs supported by one or more columns, poles or braces placed in or upon the ground. For visual reference, see Section 1003 of the 2000 International Zoning Code.

FRONTAGE (Building). The length of an exterior building wall or structure of a single premise oriented to the public way or other properties that it faces.

FRONTAGE (Property). The length of the property line(s) of any single premise along either a public way or other properties on which it borders.

GROUND SIGN. See “Free-standing sign.”

ILLUMINATED SIGN. A sign characterized by the use of artificial light, either projecting through its surface(s) (internally illuminated); or reflecting off its surface(s) (externally illuminated).

INTERIOR SIGN. Any sign placed within a building, but not including “window signs” as defined by this ordinance. Interior signs, with the exception of window signs as defined, are not regulated by this chapter.

MANSARD. An inclined decorative roof-like projection that is attached to an exterior building façade.

MARQUEE. See “Canopy (attached).”

MARQUEE SIGN. See “Canopy sign.”

MENU BOARD. A free-standing sign oriented to the drive-through lane for a restaurant that advertises the menu items available from the drive-through window, and which has no more than 20 percent of the total area for such a sign utilized for business identification.

MULTIPLE-FACED SIGN. A sign containing three or more faces.

OFF-PREMISE SIGN. See “Outdoor advertising sign.”

ON-PREMISE SIGN. A sign erected, maintained or used in the outdoor environment for the purpose of the display of messages appurtenant to the use of, products sold on, or the sale or lease of, the property on which it is displayed.

OUTDOOR ADVERTISING SIGN. A permanent sign erected, maintained or used in the outdoor environment for the purpose of the display of commercial or noncommercial messages not appurtenant to the use of, products sold on, or the sale or lease of, the property on which it is displayed.

PARAPET. The extension of a building façade above the line of the structural roof.

POLE SIGN. See “free-standing sign.”

POLITICAL SIGN. A temporary sign intended to advance a political statement, cause or candidate for office. A legally permitted outdoor advertising sign shall not be considered to be a political sign.

PORTABLE SIGN. Any sign not permanently attached to the ground or to a building or building surface.

PROJECTING SIGN. A sign other than a wall sign that is attached to or projects more than 12 inches from a building face or wall or from a structure whose primary purpose is other than the support of a sign. For visual reference, see Section 1003 of the 2000 International Zoning Ordinance.

REAL ESTATE SIGN. A temporary sign advertising the sale, lease or rental of the property or premises upon which it is located.

REVOLVING SIGN. A sign that revolves 360 degrees (6.28 rad) about an axis. See also “Animated sign, mechanically activated.”

ROOF LINE. The top edge of a peaked roof or, in the case of an extended façade or parapet, the uppermost point of said façade or parapet.

ROOF SIGN. A sign mounted on, and supported by, the main roof portion of a building, or above the uppermost edge of a parapet wall of a building and which is wholly or partially supported by such a building. Signs mounted on mansard façades, pent eaves and architectural projections such as canopies or marques shall not be considered to be roof signs. For a visual reference, and a comparison of differences between roof and fascia signs, see Section 1003 of the 2000 International Zoning Code.

SIGN. Any device visible from a public place that displays either commercial or noncommercial messages by means of graphic presentation of alphabetic or pictorial symbols or representations. Noncommercial flags or any flags displayed from flagpoles or staffs will not be considered signs.

SIGN AREA. The area of the smallest geometric figure, or the sum of the combination of regular geometric figures, which comprise the sign face. The area of any double-sided or “V” shaped sign shall be the area of the largest single face only. The area of a sphere shall be computed as the area of a circle. The area of all other multiple-sided signs shall be computed as 50 percent of the sum of the area of all faces of the sign.

SIGN COPY. Those letters, numerals, figures, symbols, logos and graphic elements comprising the content or message of a sign, exclusive of numerals identifying a street address only.

SIGN FACE. The surface upon, against or through which the sign copy is displayed or illustrated, not including structural supports, architectural features of a building or sign structure, nonstructural or decorative trim, or any areas that

are separated from the background surface upon which the sign copy is displayed by a distinct delineation, such as a reveal or border. See Section 1003 of the 2000 International Zoning Code.

1. In the case of panel or cabinet type signs, the sign face shall include the entire area of the sign panel, cabinet or face substrate upon which the sign copy is displayed or illustrated, but not open space between separate panels or cabinets.
2. In the case of signs structures with routed areas of sign copy, the sign face shall include the entire area of the surface that is routed, except where interrupted by a reveal, border, or a contrasting surface or color.
3. In the case of signs painted on a building, or individual letters or graphic elements affixed to a building or structure, the sign face shall comprise the sum of the geometric figures or combination of regular geometric figures drawn closest to the edge of the letters or separate graphic elements comprising the sign copy, but not the open space between separate groupings of sign copy on the same building or structure.
4. In the case of sign copy enclosed within the painted or illuminated border, or displayed on a background contrasting in color with the color of the building structure, the sign face shall comprise the area within the contrasting background, or within the painted or illuminated border.

SIGN STRUCTURE. Any structure supporting a sign.

TEMPORARY SIGN. A sign intended to display either commercial or noncommercial messages of a transitory or temporary nature. Portable signs or any sign not permanently embedded in the ground, or not permanently affixed to a building or sign structure that is permanently embedded in the ground, are considered temporary signs.

UNDER CANOPY SIGN OR UNDER MARQUEE SIGN. A sign attached to the underside of a canopy or marquee.

V SIGN. Signs containing two faces of approximately equal size, erected upon common or separate structures, positioned in a “V” shape with an interior angle between faces of not more than 90 (1.57 rad) degrees with the distance between the sign faces not exceeding 5 feet (1524 mm) at their closest point.

WALL OR FASCIA SIGN. A sign that is in any manner affixed to any exterior wall of a building or structure and that projects not more than 18 inches (457 mm) from the building or structure wall, including signs affixed to the architectural projections from a building provided the copy area of such signs remains on a parallel plane to the face of the building façade or to the face or faces of the architectural projection to which it is affixed. For a visual reference and a comparison of differences between wall or fascia signs and roof signs, see Section 1003 of the 2000 International Zoning Code.

WINDOW SIGN. A sign affixed to the surface of a window with its message intended to be visible to and readable from the public way or from adjacent property.

14.3 GENERAL SIGN TYPES

14.3.1 General. Sign types and the computation of sign area shall be as depicted in Figures 1003.1(1) through 1003.1(4) of the 2000 International Zoning Code.

14.4 GENERAL PROVISIONS

14.4.1 Conformance to code. Any sign hereafter erected shall conform to the provisions of this ordinance, the provisions of the International Building Code, provisions established within the Brian Head Design Guidelines/Standards and of any other ordinance and regulation within this jurisdiction.

14.4.2 Signs in rights-of-way. No sign other than an official traffic sign or similar sign shall be erected within 10 feet (610 mm) of the lines of any street, or within any public way, unless specifically authorized by other ordinances or regulations of this jurisdiction or by specific authorization of the code official.

14.4.3 Projections over public ways. Signs projecting over public walkways shall be permitted to do so only subject to the projection and clearance limits either defined herein or, if not so defined, at a minimum height of 8 feet (2438 mm) from grade level to the bottom of the sign. Signs, architectural projections or sign structures projecting over vehicular access areas must conform to the minimum height clearance limitations as proposed by the property owner and approved by the staff.

14.4.4 Traffic visibility. No sign or sign structure shall be erected at the intersection of any street in such a manner as to obstruct free and clear vision, nor at any location where by its position, shape or color it may interfere with or obstruct the view of or be confused with any authorized traffic sign, signal or device.

14.4.5 Computation of frontage. If a premises contains walls facing more than one property line or encompasses property frontage bounded by more than one street or other property usages, the sign area(s) for each building wall or property frontage will be computed separately for each building wall or property line facing a different frontage. The sign area(s) thus calculated shall be permitted to then be applied to permitted signs placed on each separate wall or property line frontage.

14.4.6 Animation and changeable messages. Animated signs, except as prohibited in Section 14.6, are permitted in commercial and industrial zones only. Changeable signs, manually activated, are permitted for nonresidential uses in all zones. Changeable signs, electrically activated, are permitted in all nonresidential zones and R2, R3 businesses.

14.4.7 Maintenance, repair and removal. Every sign permitted by this ordinance shall be kept in good condition and repair. When any sign becomes insecure, in danger of falling or is otherwise deemed unsafe by the code official, or if any sign shall be unlawfully installed, erected or maintained in violation of any of the provisions of this ordinance, the owner thereof or the person or firm using same shall, upon written notice by the code official forthwith in the case of immediate danger, and in any case within not more than 10 days, make such sign conform to the provisions of this ordinance, or shall remove it. If within 10 days the order is not complied with, the code official shall be permitted to remove or cause such sign to be removed at the expense of the owner and/or the user of the sign.

14.4.8 Obsolete sign copy. Any sign copy that no longer advertises or identifies a use conducted on the property on which said sign is erected must have the sign copy covered or removed within 30 days after written notification from the code official; and upon failure to comply with such notice, the code official is hereby authorized to cause a removal of such sign copy, and any expense incident thereto shall be paid by the owner of the building, structure or ground on which the sign is located.

14.4.9 Nonconforming signs. Any sign legally existing at the time of passage of this ordinance that does not conform in use, location, height or size with the regulations of the zone in which such sign is located, shall be considered a legal nonconforming use or structure and shall be permitted to continue in such status for the period of one year from the passing of this ordinance. Subject to the following limitations:

1. Structural alterations, enlargements or re-erection are permissible only where such alterations will not increase the degree of nonconformity of the signs.
2. Any legal nonconforming signs shall be removed or rebuilt without increasing the existing height or area if it is damaged, or removed if allowed to deteriorate to the extent that the cost of repair or restoration exceeds 50 percent of the replacement cost of the sign as determined by the code official.
3. Signs that comply with either item 1 or 2 above need not be permitted.

4. If a financial hardship can be shown, a 1 year extension for a nonconforming sign may be granted by the Planning Commission.

14.4.10 Color Restrictions.

In no case will “day glow” or neon, fluorescent, reflective colored material that gives the appearance of changing color, or brilliant luminescent colors be permitted.

14.5 EXEMPT SIGNS

14.5.1 Exempt signs. The following signs shall be exempt from the provisions of this chapter. No sign shall be exempt from Section 14.4.4.

1. Official notices authorized by a court, public body or public safety official.
2. Directional, warning or information signs authorized by federal, state or municipal governments.
3. Memorial plaques, building identification signs and building cornerstones when cut or carved into a masonry surface or when made of noncombustible material and made an integral part of the building or structure.
4. The flag of a government or noncommercial institution, such as a school.
5. Religious symbols and seasonal decorations within the appropriate public holiday season.
6. Works of fine art displayed in conjunction with a commercial enterprise where the enterprise does not receive direct commercial gain.
7. Street address signs and combination nameplate and street address signs that contain no advertising copy and which do not exceed 6 square feet (0.56m²) in area.
8. No more than three recreational and informational signs per acre, with the total combined square footage not to exceed 32 square feet.
9. Flag/Banners that do not display a promotion, sale, special event or advertising print, other than business name and logo and affixed to a permanent flag or light pole. Limited to one flag/banner of not more than 32 square feet in area each and not more than one flag/banner per 100 feet of lineal street frontage and not to exceed 4 flag/banners per business or property.

14.6 PROHIBITED SIGNS

14.6.1 Prohibited signs. The following devices and locations shall be specifically prohibited:

1. Signs located in such a manner as to obstruct or otherwise interfere with an official traffic sign, signal or device, or obstruct or interfere with a driver’s view of approaching, merging or intersecting traffic.
2. Except as provided for elsewhere in this code, signs encroaching upon or overhanging public right-of-way. No sign shall be attached to any utility pole, light standard, street tree or any other public facility located within the public right-of-way.
3. Signs which blink, flash or are animated by lighting in any fashion that would cause such signs to have the appearance of traffic safety signs and lights, or municipal vehicle warnings from a distance.
4. Portable signs except as allowed for temporary signs.
5. Any sign attached to, or placed on, a vehicle or trailer parked on public or private property, except for signs meeting the following conditions:
 - 5.1 The primary purposes of such a vehicle or trailer is not the display of signs.
 - 5.2 The signs are magnetic, decals or painted upon an integral part of the vehicle as originally designed by the manufacturer, and do not break the silhouette of the vehicle.

- 5.3 The vehicle or trailer is in operating condition, currently registered and licensed to operate on public streets when applicable, and actively used or available for use in a daily function of the business to which such signs relate.
6. Vehicles and trailers are not used primarily as static displays, advertising a product or service, nor utilized as storage, shelter or distribution points for commercial products or services for the general public.
 7. Balloons, streamers or pinwheels except those temporarily displayed as part of a special sale, promotion or community event. For the purpose of this subsection, “temporarily” means no more than 20 days in any calendar year.
 8. Any sign that blinks, flashes or is animated, that the moving area exceeds 25 percent of the allowable signs square footage.
 9. Exterior signs that are internally illuminated including neon signs.
 10. Roof signs.

14.7 PERMITS

14.7.1 Permits required. Unless specifically exempted, a permit must be obtained from the code official for the erection and maintenance of all signs erected or maintained within this jurisdiction and in accordance with other ordinances of this jurisdiction. Exemptions from the necessity of securing a permit, however, shall not be construed to relieve the owner of the sign involved from responsibility for its erection and maintenance in a safe manner and in a manner in accordance with all the other provisions of this ordinance.

14.7.2 Construction documents. Before any permit is granted for the erection of a sign or sign structure requiring such permit, construction documents shall be filed with the code official showing the dimensions, materials and required details of construction, including loads, stresses, anchorage and any other pertinent data. The permit application shall be accompanied by the written consent of the owner or lessee of the premises upon which the sign is to be erected and by engineering calculations signed and sealed by a registered design professional where required by the *International Building Code*.

14.7.3 Changes to signs. No sign shall be structurally altered, enlarged or relocated except in conformity to the provisions herein, nor until a proper permit, if required, has been secured. The changing or maintenance of movable parts or components of an approved sign that is designed for such changes, or the changing of copy, business name, lettering, sign faces, colors, display and/or graphic matter, or the content of any sign shall not be deemed a structural alteration.

14.7.4 Permit fees. Permit fees to erect, alter or relocate a sign shall be in accordance with the fee schedule adopted by Brian Head.

14.7.5 Renewal. An annual sign renewal shall accompany the town’s annual business license renewal process.

14.8 SPECIFIC SIGN REQUIREMENTS

14.8.1 Identification signs. Identification signs shall be in accordance with Sections 14.8.1.1 through 14.8.1.3.

14.8.1.1 Wall signs. Every R2, R3, Single family residence, multiple-family residential complex, commercial or industrial building, and every separate nonresidential building in a residential zone may display wall signs per street frontage subject to the limiting standards set forth in Table 14.8.1.1(1). For shopping centers, planned industrial parks or other multiple occupancy nonresidential buildings, the building face or wall shall be calculated separately for each separate occupancy.

14.8.1.2 Free-standing signs. In addition to any allowable wall signs, every single-family residential subdivision, multiple-family residential complex, commercial or industrial building, and every separate nonresidential building in a

residential zone shall be permitted to display free-standing or combination signs per street frontage subject to the limiting standards set forth in Table 14.8.1.2.

14.8.1.3 Directional signs, On Premise. No more than two directional sign structures shall be permitted per street entrance to any lot. There shall be no limit to the number of directional signs providing directional information interior to a lot. In residential zones, the maximum area for a directional signs shall be 32 square feet. For all other zones, the maximum area for any directional sign visible from adjacent property or rights-of-way shall be 32 square feet. Not more than 25 percent of the area of any directional sign shall be permitted to be devoted to business identification or logo, which area shall not be assessed as identification sign area.

TABLE 14.8.1.1(1)
IDENTIFICATION SIGN STANDARDS-WALL SIGNS

Land Use	AGGREGATE AREA (square feet)
Single Family residential	6
Multiple-family residential	9
Nonresidential in a residential zone	9
Commercial and industrial	See Table 14.8.1.1(2)

For SI: 1 square foot = 0.0929 m².

TABLE 14.8.1.1(2)
SIGN AREA

Distance of Sign From Road Or Adjacent Commercial Or Industrial Zone	Percentage Of Building Elevation Permitted For Sign Area
0 to 100 feet	10% not to exceed 100 sq. ft.
101 to 300 feet	15% not to exceed 150 sq. ft.
Over 301	20% not to exceed 200 sq. ft.

For SI: 1 square foot = 304.8 mm.

TABLE 14.8.1.2
IDENTIFICATION SIGN STANDARDS-FREE STANDING SIGNS
 For SI: 1 foot = 304.8 mm, 1 square foot = 0.0929 m², 1 acre = 4047 m².

Land Use	# of Signs	Height	Area	Spacing
S-Family Residential	0	0	0	1 per subdivision entrance
M-Family Residential	1	9 ft.	32 sq. ft.	1 per driveway
Non-Res. in Res. Zone	1	9 ft.	6 sq. ft.	300 _a
Commercial & Industrial	1	See Figures 1008.1.2 (1),(2),(3) of the 2000 International Zoning Code	See Figures 1008.1.2 (1),(2),(3) of the 2000 International Zoning Code	150 _b

a. For subdivision or apartment signs placed on a decorative entry wall approved by the code official, two identification signs shall be permitted to be placed at each entrance to the subdivision or apartment complex, one on each side of the driveway or entry drive.

b. For shopping centers or planned industrial parks, two monument- style free-standing signs not exceeding 50 percent each of the permitted height and area, and spaced not closer than 100 feet to any other free-standing identification sign, shall be permitted to be allowed in lieu of any free-standing sign otherwise permitted in Table 14.8.1.2.

c. For any commercial or industrial development complex exceeding 1,000,000 square feet of gross leasable area, or 40 acres in size, such as regional shopping centers, auto malls or planned industrial parks, one free-standing sign per street front shall be permitted to be increased in sign area by up to 50 percent.

S= Single M= Multi

14.8.2 Temporary signs. Temporary signs shall be in accordance with Sections 14.8.2.1 through 14.8.2.5.

14.8.2.1 Real estate signs. Real estate signs shall be permitted in all zoning districts subject to the following limitations:

1. Real estate signs located on a single residential lot shall be limited one sign, not greater than 6 feet in height and 6 square feet in area.
2. Real estate signs advertising the sale of lots located within a subdivision shall be limited to one sign per entrance to the subdivision and each sign shall be no greater than 32 square feet in area nor 6 feet in height. All signs permitted under this section shall be removed within 10 days after sale of the last original lot.
3. Real estate signs advertising the sale or lease of space within commercial or industrial buildings shall be no greater than 6 square feet in area nor 6 feet in height, and shall be limited to one sign per street front.
4. Real Estate signs advertising the sale or lease of vacant commercial or industrial land shall be limited to one sign per street front, and each sign shall be no greater than 6 feet in height, and 32 square feet for property of 10 acres (40 470 m²) or less, or 100 square feet (9.3 m²) for property exceeding 10 acres (40470 m²).
5. Real estate signs shall be removed not later than 10 days after execution of a lease agreement in the event of a lease, or the closing of the sale in the event of a purchase.

14.8.2.2 Development and construction signs. Signs temporarily erected during construction to inform the public of the developer, contractors, architects, engineers, the nature of the project or anticipated completion dates, shall be permitted in all zoning districts, subject to the following limitations:

1. Such signs on a single residential lot shall be limited to one sign, not greater than 6 feet in height and 6 square feet in area.

2. Such signs for a residential subdivision or multiple residential lots shall be limited to one sign, at each entrance to the subdivision or on one of the lots to be built upon, and shall be no greater than 6 feet in height and 32 square feet in area.
3. Such signs for nonresidential uses in residential districts shall be limited to one sign, and shall be no greater than 6 feet in height and 6 square feet in area.
4. Such signs for commercial or industrial projects shall be limited to one sign per street front, not to exceed 6 feet in height and 16 square feet for projects on parcels 5 acres (20 235 m²) or less in size, and not to exceed 6 feet in height and 32 square feet for projects on parcels larger than 5 acres (20 235 m²).
5. Development and construction signs may not be displayed until after the issuance of construction permits by the building official, and must be removed not later than 10 days following the issuance of an occupancy permit for any or all portions of the project.

14.8.2.3 Special promotion, event and grand opening signs. Signs temporarily displayed to advertise special promotions, events and grand openings shall be permitted for nonresidential uses in a residential district, and for all commercial and industrial districts subject to the following limitations:

1. Such signs shall be limited to one sign per business per street front.
2. Such signs may be displayed for not more than 30 consecutive days in any 3-month period, and not more than 60 days in any calendar year. The signs shall be erected no more than 14 days prior to the event or grand opening, and shall be removed not more than 7 days after the event or grand opening.
3. The total area of such signs shall not exceed 16 square feet in any single family residential district, 32 square feet in any multiple-family residential district and 54 square feet in any commercial or industrial district.
4. A permit is required for these signs. No fee shall be charged.

14.8.2.4 Special community event signs in public ways. Signs advertising a special community event shall not be prohibited in or over public rights of way, subject to approval by the code official as to the size, location and method of erection. The code official may not approve any special event signage that would impair the safety and convenience of use of public rights-of-way, or obstruct traffic visibility. Such signs shall be removed not more than 7 days after the event or holiday.

14.8.2.5 Political signs. Political signs shall be permitted in all zoning districts, subject to the following limitations:

1. Such signs shall not exceed a height of 6 feet nor an area of 6 square feet.
2. Such signs for election candidates or ballot propositions shall be displayed only for a period of 60 days preceding the election and shall be removed within 7 days after the election, provided that signs promoting successful candidates or ballot propositions in a primary election may remain displayed until not more than 7 days after the general election.
3. Such signs shall not be placed in any public right of way or obstruct traffic visibility.

14.8.3 Requirements for specific sign types. Signs of specific type shall be in accordance with sections 14.8.3.1 through 14.8.3.7.

14.8.3.1 Canopy and marquee signs.

1. The permanently-affixed copy area of canopy or marquee signs shall not exceed an area equal to 25 percent of the face area of the canopy, marquee or architectural projection upon which the sign is affixed or applied.
2. Graphic striping, patterns or color bands on the face of the building, canopy marquee or architectural projection shall not be included in the computation of sign copy area.

14.8.3.2 Awning signs.

1. The copy area of awning signs shall not exceed an area equal to 25 percent of the background area of the awning or awning surface to which such a sign is affixed or applied, or the permitted area for wall or fascia signs, whichever is less.
2. Neither the background color of an awning, nor any graphic treatment or embellishment thereto such as striping, patterns or valances, shall be included in the computation of sign copy area.

14.8.3.3 Projecting signs.

1. Projecting signs shall be permitted in lieu of freestanding signage on any street frontage limited to one sign per occupancy along any street frontage with public entrance to such an occupancy, no such sign shall exceed an area of 3 square feet, and not to exceed 12 inches from the wall.
2. No such sign shall extend vertically above the highest point of the building façade upon which it is mounted.
3. Such signs shall maintain a clear vertical distance above any public sidewalk a minimum of 7 feet 6 inches.

14.8.3.4 Under canopy signs.

1. Under canopy signs shall be limited to no more than one such sign per public entrance to any occupancy, and shall be limited to an area not to exceed 6 square feet.
2. Such signs shall maintain a clear vertical distance above any sidewalk or pedestrian way a minimum of 7 feet 6 inches.

14.8.3.5 Window signs. Window signs shall be permitted for any nonresidential use in a residential district, and for all commercial and industrial district, subject to the following limitations:

1. The aggregate area of all such signs shall not exceed the parameters of Tables 14.8.1.1.(1) and 14.8.1.1.(2) or up to 50 percent of the window area whichever is less. Window panels separated by muntins or mullions shall be considered as one continuous window area.
2. Window signs shall not be assessed against the sign area permitted for other sign types.
3. Interior neon and LED or illuminated signs visible from the exterior of the window shall be limited to 3 signs not to exceed in size 6 square feet, on each street frontage.

14.8.3.6 Menu boards. Menu board signs shall not be permitted to exceed 16 square feet.

14.8.3.7 Neon and LED. Interior neon and LED illuminated signs visible from the exterior of a window shall be limited to three signs, not to exceed 6 square feet each. On each street frontage. Signs shall only be illuminated during business hours.

14.9 SIGNS FOR NONRESIDENTIAL COMPLEXES

14.9.1 Master sign plan required. All landlord or single-owner controlled multiple-occupancy development complexes on parcels exceeding 8 acres (32 376 m2) in size, such as shopping centers or planned industrial parks, resorts, and privately owned parks shall submit to the code official a master sign plan prior to the issuance of new sign permits. The master sign plan shall establish standards and criteria for all signs in the complex that requires permits, and shall address, at a minimum, the following:

1. Proposed sign locations.
2. Materials.
3. Type of illumination.

4. Design of free-standing sign structures.
5. Size.
6. Quantity.
7. Uniform standards for nonbusiness signage, including directional and informational signs.

14.9.2 Development complex sign. In addition to the free-standing business identification signs otherwise allowed by this ordinance, every multiple-occupancy development complex shall be entitled to one free-standing sign per street front, at the maximum size permitted for business identification free-standing signs, to identify the development complex. No business identification shall be permitted on a development complex sign. Any free-standing sign otherwise permitted under this ordinance may identify the name of the development complex.

14.9.3 Compliance with master sign plan. All applications for sign permits for signage within a multiple-occupancy development complex shall comply with the master sign plan.

14.9.4 Amendments. Any amendments to a master sign plan must be signed and approved by the owner(s) within the development complex before such amendment will become effective. When multiple ownership is at a signed affidavit is required showing notice has been given to all owners.

14.9.5 Approval. All master sign plans under this section must be approved by the planning commission.